

Toxicity approaches to assessing mining impacts and minewaste treatment effectiveness.



Lazorchak, J.M, U.S. EPA ORD, NERL Cincinnati, Smith M.E. SBI Environmental c/o U.S. EPA Cincinnati, Bates, E., U.S. EPA, ORD NRMRL Cincinnati, Wilmoth, R., U.S. EPA ORD NRMRL Cincinnati.

Abstract

The U.S. EPA Office of Research and Development's National Exposure Research Laboratory and National Risk Management Research Laboratory have been evaluating the impacts of mining sites on receiving streams and the effectiveness of waste treatment technologies in removing toxicity for the past six years. The effectiveness of site assessments and minewaste treatment technologies in reducing toxicity was assessed using toxicity tests on the Summitville mine site, Clear Creek and North Fork of Clear Creek, Burleigh Tunnel and Big Five Tunnel in Colorado and Calliope Mine, Crystal Mine, Lilly/Orphan Boy Mine, Peerless Mine and Sure Thing Mine in Montana, Water samples were collected from the stream sites. or mining sites and shipped to the LLS EPA Aquatic Research Facility in Cincinnati, Ohio. A series of acute aquatic toxicity tests with Pimephales promelas, the fathead minnow and Ceriodaphnia dubia, a freshwater invertebrate were conducted on these samples. In addition to these tests, a 7-day growth test using rainbow trout, Oncorhynchus mykiss, was conducted on Summittville minewaste samples. The purpose of these tests was to establish the level of toxicity for the discharge from the different mines sites and to evaluate the effectiveness of different treatment processes used at these sites. The results from the tests on the effluents from treatment technologies used at the Sure Thing and Lily Orphan Boy mine sites indicate that there is a significant reduction in toxicity. For the Sure Thing Mine treated effluent, C. dubia survival LC50 value was increased by 670 fold and the No Observable Acute Effect Level (NOAFL) by 640 fold. The P promelas LC50 value was increased by 94 fold and the NOAFI value by 90 fold. For the Lily Orohan Roy treated effluent the C. duhia LC50 value increased by 160 fold and the NOAFI by 390 fold. The P. promelas IC50 value increased by 91 fold and the NOAFL by 40 fold. For the Summittville Mine treatment System, treated mine discharge samples displayed reduced toxicity of approximately 7-8 fold for C. dubia, 10 fold for rainbow trout, and about 5 fold for the fathead minnow as compared to untreated mine waste. However, in order to remove all the acute toxicity from the mine discharge, the concentration of metals from both treatments have to be reduced by 1000 fold for *C. dubia* survival, or 100 or 50 fold for rainbow trout, and fathead minnow survival respectively.

Introduction

The National Risk Management Research Laboratory (NRMRL) and the National Exposure Research Laboratories have been collaborating on evaluations of the effectiveness of mine treatment technologies and assessing the instream impacts of mines for the past 8 years. The objective of this collaboration was to use toxicity and bioassessment methods for assessing the success of pilot mine waste treatment technologies on removal of metals from mine dischargers or seeps. We will cover what the results have been to date in assessing a pilot treatment project at the Summittville Mine in Colorado, an artifically contructed wetland piloted at the Burleigh Tunnel discharge in Colorado, and several different treatment strategies employed at the following mines in Montana, Calliope Mine, Crystal Mine, Lilly/Orphan Boy Mine, Peerless Mine and Sure Thing Mine. We also will show results of three toxicity assessments of three streams in Colorado, Alamosa River and tributaries, Clear Creek and North Fork of Clear Creek.


Test Methods

TEST CRITERIA	SPECIFICATIONS		
		TEST CRITERIA	SPECIFICATIONS
Test Type	Static-renewal	Test Type	Static-renewal
Test Duration	48 hr	Test Duration	48 hr
Temperature	20°C ± 1°C		
Photoperiod	16 hr light/8 hr dark	Temperature	20°C ± 1°C
Test Chamber Size	30 ml (plastic cups)	Photoperiod	16 hr light/8 hr dark
		Test Chamber Size	175 ml (plastic cups)
Test Solution Volume	20 ml	Test Solution Volume	150 ml
Renewal of Test solution	Daily	Renewal of Test-	Daily
Age of Test Organisms	Less than 24-hr-old	solution	,
Number of Organisms/	5	Age of Test Organisms	3 to 7 days ± 24 hr age range
per test chamber		Number of Organisms/	10
Number of Replicate	4	per test chamber	
Chambers/Conc.		Number of Replicate-	2
Number of Organisms/ Concentration	20	Chambers/Conc.	
		Number of Organisms/	20
Feeding	none, fed while holding prior to test setup	Concentration	
Dilution Water	Moderately Hard Reconstituted	Feeding	Feed newly hatched brine shrimp prior to testing. Do not feed during the test.
DIMUDII WILLI	Water	Dilution Water	Moderately Hard Reconstituted Water
Endpoint	Mortality, LC50	Endpoint	Mortality, LC50
Test Acceptability	90% survival in the controls	Test Acceptability	>90% survival in the controls
			_
idard Operating Procedures for Ph	mephales promelas embryo-larval sediment toxicity		r Oncorhynchus mykiss Survival and Growth
	mephales promelas embryo-larval sediment toxicity SPECIFICATIONS	Standard Operating Procedures fo	_
		Standard Operating Procedures for Tests TEST PARAMETER	r Oncorhynchus mykiss Survival and Growth CONDITION
TEST CRITERIA	SPECIFICATIONS	Standard Operating Procedures for Tests TEST PARAMETER Test Type	r Oncorhynchus mykiss Survival and Growth CONDITION static-renewal
TEST CRITERIA Test Type	SPECIFICATIONS Static-renewal	Standard Operating Procedures for Tests TEST PARAMETER	r Oncorhynchus mykiss Survival and Growth CONDITION
TEST CRITERIA Test Type Test Duration Temperature	SPECIFICATIONS Static-renewal 7 days (8.24H time periods) 25 °C ± 1 °C	Standard Operating Procedures for Tests TEST PARAMETER Test Type	r Oncorhynchus mykiss Survival and Growth CONDITION static-renewal
TEST CRITERIA Test Type Test Duration Temperature Photoperiod	SPECIFICATIONS Static-renoval 7 days (8.24H time periods) 25 °C ± 1 °C 16 hr light/8 hr dark	Standard Operating Procedures for Yests TEST PARAMETER Test Type Test Duration	r Oncorhynchus mykiss Survival and Growth CONDITION static-renewal 7 days.
TEST CRITERIA Test Type Test Duration Temperature Photoperiod Test Chamber Size	SMICHYLATIONS Static renewal 7 days (8.244 time periods) 25 °C ± 1 °C 16 fr light/8 fr dark	Standard Operating Procedures for Tests **EST PARAMETER Test Type Test Duration Temporature	r Oncorhynchus mykiss Survival and Growth CONDITION static-renewal 7 days 25 °C (s1 °C)
TEST CRITERIA Test Type Test Duration Temperature Photoperiod	SPECIFICATIONS Static-renoval 7 days (8.24H time periods) 25 °C ± 1 °C 16 hr light/8 hr dark	Standard Operating Procedures to Tests TEST PARAMETER Task Type Test Duration Temperature Protosperated Test Chamber Size	COncomplymentus mykkis Sunnival and Growth' CONCOMINAL STATE CONCOMINATION STATE CONCOMINATION TO STATE CONCOMINA
TEST CRITERIA Test Type Test Duration Temperature Photoperiod Test Chamber Size	SMICHYLATIONS Static renewal 7 days (8.244 time periods) 25 °C ± 1 °C 16 fr light/8 fr dark	Standard Operating Procedures to Tests TEST PARAMETER Test type Test Duration Temperature Photogenoid Test Chamber Size Test Solution Volume	CONCRITION CONCRITION STATE - FROMMER 7 days 25 °C (s 1 °C) 16 h light 8 h dark 500 ml 400 ml
TEST CRITERIA Test Type Test Duration Temperature Photoperiod Test Chamber Size Sediment Volume	SPECIFICATIONS Static renewal 7 days (8) 244 time periods) 25 "C ± 1 "C 16 hr light/li hr dark 100 ml 40 ml	Standard Operating Procedures for Tests. TEST PARAMETER Test Duration Temporature Photoperiod Test Quanties Size Test Studion Volume Remeated of Test Solution	COncomplymentus mykkis Sunnival and Growth' CONCOMINAL STATE CONCOMINATION STATE CONCOMINATION TO STATE CONCOMINA
TEST CRITIBUL Test Type Test Duration Temperature Photoperiod Test Chamber Size Sediment Volume Overlying Water Volume Renewal of Test solution	SHICHCATORS Static retrieval 7 days (8.24th time periods) 25 % = 1 % 16 he light in he dark 100 ml 40 ml 60 ml 6aby	Standard Operating Procedures to Tests TEST PARAMETER Test type Test Duration Temperature Photogenoid Test Chamber Size Test Solution Volume	CONCRITION STATE VENEZATION CONCRITION STATE VENEZATI 7 days 25 % (s 1 °C) 16 h light 8 h dark 500 ml 400 ml daily 15 12 20 days old,
TEST CATERIAL Test Type Test Duration Test position Temporature Photoperiod Test Chamber Ste Sediment Volume Renewal of Test solution Age of Test Organisms	SPECIFICATIONS Static renewal 7 days in 24 time periods) 25 °C = 1 °C 16 hi light/libr dark 100 ml 40 ml 60 ml dally 24-48 hour old embryo	Standard Operating Procedures for Tests. TEST PARAMETER Test Dyea Test Duration Temperature Proterprised Test Chamber Size Test Solution Volume Remenal of Test Solution Age of Test Organisms	CONCRITION TABLE TERRORIAN TO SEE T
TEST CRITIBUL Test Type Test Duration Temperature Photoperiod Test Chamber Size Sediment Volume Overlying Water Volume Renewal of Test solution	SHICHCATORS Static retrieval 7 days (8.24th time periods) 25 % = 1 % 16 he light in he dark 100 ml 40 ml 60 ml 6aby	Standard Operating Procedures to Tests TOT PARAMETER Test Type Test Duration Temperature Protogened Test Chamber Size Test Solution Volume Remenal of Test Solution Age of Test Cingnisms No. Originisms No. Originisms Test Chamber	CONCOTON CONCOT
Test Pype Test Duration Test Pype Test Duration Temperature Photoperiod Test Chamber Size Sediment Volume Overlying Water Volume Renewal of Test solution Age of Test Organisms Number of Gustavity per lest chamber	SPECIFICATIONS Static renewal 7 days 12 dettine periodol 25 °C = 1 °C 16 hi light/libr dark 100 ml 40 ml 60 ml dably 24 48 hour old embryo 10	Standard Operating Procedures for Tests. TEST PARAMETER Test Dyea Test Duration Temperature Proterprised Test Chamber Size Test Solution Volume Remenal of Test Solution Age of Test Organisms	CONCRITION TABLE TERRORIAN TO SEE T
TISST CHITIBIA TEST PIPE TEST DURATION TEMPORATURE Photoperied Test Chamber Size Sediment Volume Overlying Water Volume Renewal of Test solution Age of Test Organisms Australes of Organisms	SPECIFICATIONS Static renewal 7 days in 24 time periods) 25 °C = 1 °C 16 hi light/libr dark 100 ml 40 ml 60 ml dally 24-48 hour old embryo	Standard Operating Procedures to Tests TOT PARAMETER Test Type Test Duration Temperature Protogened Test Chamber Size Test Solution Volume Remenal of Test Solution Age of Test Cingnisms No. Originisms No. Originisms Test Chamber	CONCOTON CONCOT
TEST CHITERIA TEST Type TEST Duration Temperature Photopopised Test Chamber Size Sediment Volume Renewal of Test Sodarlian Age of Test Organisms Number of Organisms Number of Organisms Aumaber of Registrate Chambers Conc. Rumber of Chambers Conc. Rumber of Chambers Conc. Rumber of Organisms	SPECIFICATIONS Static renewal 7 days 12 dettine periodol 25 °C = 1 °C 16 hi light/libr dark 100 ml 40 ml 60 ml dably 24 48 hour old embryo 10	Standard Operating Procedures to Tests Test PARAMITIE Test type Test Duration Temperature Photoperated Test Solution Volume Remend of Test Solution Age of Test Organism No. Organism/Test Chambers No. Organism/Test Chambers No. Replicate Test Chambers	CONDITION STATE VENERAL SUPPLIES SUPPLIES CONDITION STATE VENERAL 7 days 25 % (s 1 **C) 16 h light 8 h dark 500 ml 400 ml daily 15 12 22 days old, 1 to 5 days post swiraup 5
TEST CHITIBIN TEST Dype TEST Duration Temperature Photoporised Test Chamber Size Sediment Volume Removal of Test studion Age of Test Organisms Number of Organisms Per test dumber Number of Regiciate Chambers Cone.	SPECIFICATIONS Static renewal 7 days 12 det time periods) 25 °C = 1 °C 16 hi light/libr dark 100 ml 40 ml 60 ml 6aley 24-48 hour old embryo 10	Standard Operating Procedures to Tests Test PARAMETER Test Type Test Duration Temperature Florisoperature Florisoperature Florisoperature Renewal of 1st Saduktion Age of Test Originature No. Originature Test Chambers No. Originature Chambers No. Originature Test Chambers No	CONCOTON CONCOT
TEST CHITERIA TEST Type TEST Duration Temperature Photopopised Test Chamber Size Sediment Volume Renewal of Test Sodarlian Age of Test Organisms Number of Organisms Number of Organisms Aumaber of Registrate Chambers Conc. Rumber of Chambers Conc. Rumber of Chambers Conc. Rumber of Organisms	SPECIFICATIONS Static renewal 7 days 12 det time periods) 25 °C = 1 °C 16 hi light/libr dark 100 ml 40 ml 60 ml 6aley 24-48 hour old embryo 10	Standard Operating Procedures fo Tests. TEST PRAMATER Test Type Test Duration Temperature Photoprotod Test Chamber Size Test Solution Volume Renewal of Test Solution Age of Test Organism No. Organism/Test Chamber No. Department Test Chamber No. Organisms Concentration No. Organisms Concentration	CONCRITION TABLE TERMINAL TO NO. 1 TO 1

Results

Summittville

Summittville Colorado is located in Southwestern Colorado and impacts the Alamosa River which is a tributary to the Rio Grande River. The U.S. Environmental Protection Agency has many programs for evaluating various methods to treat contaminated waste discharges. As part of a Superfund Innovative Technology Evaluation (SITE) Program, the USEPA evaluated a remediation technology at the Summitville Mine Superfund Site in southern Colorado. USEPA has instituted a program to develop a treatment system that will reduce the level of contamination, and therefore toxicity, of the wastewater discharged from this site. The technology evaluated was a successive alkalinity producing system (SAPS) for removing high concentrations of metals (aluminum, copper, iron, manganese, and zinc).



Comparison of Survival 11/00 results for Ceriodaphnia dubia, Fathead Minnow (Pimephales promelas) and Rainbow Trout (Oncorhynchus mykiss) using samples from Summitville Mine drainage and pilot treatment effluents.

Sample	Cerio 48-hr LC50	FH 48-hr LC50	Trout 7-day LC50	Trout NOEC	
SW 01	0.01 %	0.29	0.25%	0.1%	
SW 04	0.08 %	2.18	1.57%	1%	
RCWT	0.07 %	2.12	1.67%	1%	

Conclusion

Based on these results the order of sensitivity to the Summitteville drainage is as follows:

(SW 04 and RCWT) = discharge samples from two different treatment technologies

Ceriodaphnia is more sensitive than rainbow trout, than the fathead minnow. Both treatment technologies reduced toxicity by 7-8 fold for Ceriodaphnia, @ 10 fold for rainbow trout, and about 5 fold for the fathead minnow. However, a substantial amount of toxicity remains. An additional 100 fold reduction in metals needs to be accomplished to have no acute toxicity to rainbow trout, a 1000 fold reduction in both treatments to have a no acute effect on Ceriodaphnia and a 50 fold reduction for no acute effects on fathead minnows.

Burleigh Tunnel

The Burleigh Tunnel is located in Silver Plume, Clear Creek County, Colorado. Silver Plume is approximately 80 miles from Denver, Colorado.. The Burleigh Tunnel geochemical metal loading to Clear Creek is more significant in low flow months prior to and after spring run-off. Data suggests that zinc levels in Clear Creek are elevated during the low-flow months and lower during the spring run-off due to dilution.

In 1994 two Constructed Wetland System (CWS) treatment cells were located adjacent to the Burleigh adit. One cell was an upflow system, while the other was a downflow system. Each cell covers 0.05 acres. The flow to the cells was regulated by a pair of v-notch weirs, one for the influent and one for the effluent. The estimated total volume of substrate in the upflow cell was 212 cubic yards and 223 cubic yards in the downflow cell. The base of each cell is made up of a gravel subgrade, a 16 oz. geofabric, a sand layer, a clay liner, followed by a high density polyethylene liner. The base is separated from the influent piping by a GEONET. The substrate is composed of a mixture of 96% processed manure and 5% hay. The compost is produced from cattle manure and unidentified paper products.

Results from toxicity tests with Ceriodaphnia dubia in samples from the Burleigh Tunnel

WIO = Mine Drainage
WEU = Wetland Effluent from Up Flow Cell
WED = Wetland Effluent from Down Flow Cell

WED Weddie	Elilderic ilolii bowii	HOW COI
Sample	LC50 % Sample	Limits
WIO 2/95	1.01	0.59 - 1.71
WIO 6/95	0.105	No Limits
WIO 12/96	0.09	0.05-0.17
WIO 6/97	0.43%	0.32-0.57
WIO 10/97	0.15%	0.09-0.26
WEU 2/95	8.41	6.25 - 11.33
WEU 6/95	0.51	0.41 - 0.64
WEU 12/96	0.22	0.18-0.27
WEU 6/97	0.41	0.34-0.48
WEU 10/97	0.13%	0.11-0.16
WED 2/95	>100%	
WED 6/95	2.56%	No Limits
WED 10/97	0.19%	0.14-0.26

Sample	LC50 % Sample	Limits
WIO 2/95	1.55	1.23 -1.93
WIO 6/95	1.01	0.77 - 1.32
WIO 12/96	0.69%	0.56-0.86
WIO 6/97	1.02%	0.91-1.15
WIO 10/97	1.35%	1.13-1.62
WEU 2/95	100%	No Limits
WEU 6/95	2.27%	1.87-2.77
WEU 12/96	1.59%	1.19-2.14
WEU 6/97	23.7%	17.0-32.9
WEU 10/97	14.23%	11.63-17.43
WED 2/95	>100%	
WED 6/95	2.56%	No Limits
WED 10/97	10.58%	8.22-13.61

Results from toxicity tests with

Pimephales promelas in samples

from the Burleigh Tunnel site

Burleigh Tunnel - Continued

Results of the O. mykiss survival and growth toxicity tests using Burleigh Tunnel sample 6/97

Sample	NOEC	LOEC	MSD	LC50	NEOC	LOEC	MSD	IC25	IC50
WIO (%)	0.156	0.313	0.011	0.245	<.156	>.156	18.4	0.185	0.254
Zinc Car (μg/L)	125	250	0.005	238.6	>125	>125	6.8	178.5	269.0

Conclusions

Early results (2/95) indicated that the Wetland was very successful in reducing toxicity. However, toxicity in the wetland effluents became similar to the mine waste discharge because of pluging of the wetland substrate and hydraulic channeling through the wetland.


7-day Trout tests were similar to 48-hr acute Ceriodaphnia and fathead minnow results.

U.S. EPA Minewaste Treatment Technology Program

Lilly/Orphan Boy Mine

The Lilly/Orphan Boy Mine is located near Elliston, Montana. Aqueous waste is contained in a shaft that is treated by using the mine as an in-situ reactor. The shaft of the mine runs to a depth of 250 feet and is flooded to the 74-foot level, the typical level which was historically discharged from the portal. Organic substrate composed of cow manure, woodchips, and alfalfa was supported by two platforms and lowered into the shaft to promote growth of the organisms. Injection wells were drilled into the main tunnel so the substrate could be placed into this space to monitor removal efficiencies at different sampling ports


Biological sulfate reduction is accomplished by heterotrophic, anaerobic SRBs. The sulfate reducing bacteria (SRB) chosen for this demonstration require a reducing environment and cannot tolerate aerobic conditions for extended periods. These bacteria require a simple organic nutrient; a mixture of cow manure, woodchips, and alfalfa. The process is accomplished via three mechanisms. First, hydrogen sulfide is produced from sulfate dissolved in AMD and organic substrate through SRB metabolic action. Next, the hydrogen sulfide reacts with dissolved metal ions in AMD to produce insoluble metal sulfides. Finally, the bacterial metabolism of the organic substrate produces bicarbonate which increases the pH of the solution thus limiting further metal dissolution.



Cross-section of the Lilly/Orphan Boy Mine and the technology installation.

Sure Thing Mine

The Sure Thing mine is located in Southwest Montana. At this site the treatment technology employed uses a series of biological processes for the complete mitigation of AMD by concentrating and immobilizing metals within bioreactors and raising the pH of the water. The field system is composed of a primary anaerobic reactor, a passive alkalinity limestone reactor, a secondary anaerobic reactor, a passive aeration system which includes corrugated pipes, and an aerobic reactor.



Mine Technology Program Results 2001

Cresent Mine SRB influent and effluent, SureThing Mine (ST) influent and effluent Lily Orphan Boy (LOB) PT3 and PT6.

Results from toxicity tests with Ceriodaphnia dubia.

Sample	Conc. (%)	Survival	LC50 (%)	Limits	NOAEL (%)	MSD
SRB-INF	cnt	20/20	0.18	0.14-	0.078	15.01
SRB-EFF	cnt	19/20	49.79	16.66-	25	14.78
ST-INF	cnt	18/20	0.15	0.11-	0.156	36.06
ST-REC-EFF	cnt	20/20	>100	N/A	>100	N/A
LOB PT 3	cnt	20/20	0.63	0.45-0.89	0.156	18.65
LOB PT 6	cnt	18/20	100	N/A	50	39.86
Zinc Ref Tox	cnt	20/20	154.12 μg/l	123.68- 192.05	62.5 μg/l	17.77


Results from toxicity tests with Pimephales promelas.

	Sample	Conc. (%)	Survival	LC50 (%)	Limits	NOAEL (%)	MSD
ı	SRB-INF	cnt	20/20	0.56	0.43-0.73	0.3125	17.09
ı	SRB-EFF	cnt	20/20	>100	N/A	>100	N/A
ı	ST-INF	cnt	19/20	4.12	3.25-5.23	2.5	24.31
ı	ST-REC EFF	cnt	20/20	>100	N/A	50	17.12
ı	LOB PT 3	cnt	20/20	3.80	2.84-5.09	1.25	11.57
H	LOB PT 6	cnt	20/20	79.37	93.7-67.22	50	18.18
	Zinc Ref Tox	cnt	20/20	745.30	553.88 -1003	250μg/l	26.25

The results from the tests indicate that the treatment systems being used to remediate the waste from these three mine sites are working. The first indication was in the arrival chemistry values for each sample, where the pH value and alkalinity for the treated samples from each mine were considerably higher than that of the mine discharge samples. The results from the toxicity tests with C. dubia and P. promelas show that the survival of the animals is improved in the treated samples when compared to the discharge samples from each mine.


Results Toxicity Tests to Characterize the Extent of Mining Impacts to Streams

Clear Creek and its Tributaries Water Column Toxicity Tests - Samples were collected by Region VIII personnel and shipped overnight to Cincinnati to be tested within 72-hrs of collection.



Alamosa River Toxicity Characterization Study - Impacts from Summitville Mine

Samples for the Summitville Superfund Site were tested on-site over a two week period from 9-19-94 to 9-30-94. All samples were collected by personnel from the USEPA Region VIII Monitoring and Standards Section and ORD NERL-Cincinnati. All toxicity tests were started within 36 hours of sample collection. Tests were conducted in Mobile Bioassay Laboratories provided by USEPA Region VIII.



FINDING

We have demonstrated the utility of toxicity testing of water, discharges and sediments for characterizing the extent of contamination from mining discharges as well as using toxicity testing to assess the effectiveness various treatment technologies in removing metals and toxicity from mine drainage. Several of the Minewaste Technologies show the best short term and long term solutions to recluding impacts from mines.

Prepared by CSC Inc. for ORD/NERL/Cincinnati, OH - May 2000